

CONTRACT DATA REQUIREMENTS LIST

DD FORM 1423 (MECHANIZED)

CATEGORY: MISC SYSTEM/ITEM: FILTER EMI
TO CONTRACT/PR: C40CABXX

1. SEQUENCE NUMBER	14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM		
3. SUBTITLE		
4. DATA ITEM NUMBER		
5. CONTRACT REFERENCE		
6. TECHNICAL OFFICE	7. DD 8. APP 9. DIST STATEMENT	
	250 CODE REQUIRED	
10. FREQUENCY	11. AS OF DATE	15. TOTAL:
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION	
16. REMARKS		

1. A001	14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)	DISTRIBUTION	/ /
3. *	ATTACHED	/ /
4. DI-CMAN-80639B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
ECP SHORT FORM SHALL BE USED FOR THE SUBMISSION AND PROCESSING OF ALL CLASS II ENGINEERING ACTIONS. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

1. A002	14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)	DISTRIBUTION	/ /
3.	ATTACHED	/ /
4. DI-CMAN-80640B		
5. MIL-STD-973		
6. AMSSB-RSO-ADM(RI)	7. LT 8. - 9.**	
10. ASREQ	11. ---	15. TOTAL 0/ 0/ 0
12. ASREQ	13.	
16. REMARKS		
**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.		

DAAE 2001 P017

Exhibit A

1. A003

2. REQUEST FOR WAIVER (RFW)

3.

4. DI-CMAN-80641B

5. MIL-STD-973

6. AMSSC-HB-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

**DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

1. A004

2. NOTICE OF REVISION (NOR)

3.

4. DI-CMAN-80642B

5. MIL-STD-973

6. AMSSB-RSO-ADM(RI) 7. LT 8. - 9.**

10. ASREQ 11. ---

15. TOTAL 0/ 0/ 0

12. ASREQ 13.

16. REMARKS

THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOR FOR EACH DRAWING, ASSOCIATED LIST, OR OTHER REFERENCED DOCUMENT WHICH REQUIRE REVISION AFTER ECP APPROVAL. **DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MANAGER.

ALL THE ABOVE MAY BE SUBMITTED TO:

COMMANDER

U.S.ARMY SOLDIER AND BIOLOGICAL CHEMICAL COMMAND (SBCCOM)

ATTN: AMSSB-RSO-ADM (CDE QA CELL) BLDG.62,1stfloor,West Wing

ROCK ISLAND,IL 61299-7390

14.

SEE ADDRESS CODE / /

DISTRIBUTION / /

ATTACHED / /

14.

SEE ADDRESS CODE / /

DISTRIBUTION / /

ATTACHED / /

APPROVED BY: STEPHEN J HANSEN, SDMO, AMSTA-AR-QAD

DATE: 11/28/00

SECTION C

DISTRIBUTION STATEMENT X

Page 1 of 1

START NO: C40CABXX

AMC/AMSC: 1G

TDP: 5-19-9888

TDPL DATE: 1 Nov 2000

NSN: 5915-01-290-6482

NOMENCLATURE: Filter, EMI

Unless otherwise specified herein or annotated as for reference only therein, all documents cited on TDPL 5-19-9888 dated 1 Nov 2000 are mandatory for use in the manufacture of the item(s) on this procurement. The following specific exceptions also apply:

1. TDPL – Add NOR 980-0108-001.
2. TDP and TDPL – Change spec callout as follows:

Delete MIL-STD-2000 and substitute MIL-HDBK-454.

Delete MIL-T-27 and substitute MIL-PRF-27.

The TDP for this procurement has been screened (tiered), to identify where possible, Non-Government (commercial) Specifications and/or Standards (NGSs), Commercial Item Descriptions (CIDs) as alternatives in lieu of cited Military Specifications and Standards, Federal Specifications and Standards and/or Purchase Descriptions. This screening has identified NGSs and/or CIDs that may be used in lieu of the cited Federal Specifications and Standards, Military Specifications and Standards, and Purchase Descriptions as indicated below:

CITED MILITARY OR FEDERAL
SPECIFICATION/STANDARD
OR PURCHASE DESCRIPTION

MIL-I-43533

MIL-T-10727

SUBSTITUTE COMMERCIAL
SPECIFICATION/STANDARD
OR CID

A-A-56032


ASTM B545 or ASTM B339

STATEMENT OF WORK - OZONE DEPLETING CHEMICALS

1. There are no known Ozone Depleting Substances or Chemicals in this Technical Data Package.

DAE2001(P017)

Attachment 001

NOTICE OF REVISION (NOR) THIS REVISION DESCRIBED BELOW HAS BEEN AUTHORIZED FOR THE DOCUMENT LISTED			1. DATE (YYMMDD) 00/12/01	Form Approved OMB No. 0704-0188
Public reporting burden for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES. RETURN COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT/PROCURING ACTIVITY NUMBER LISTED IN ITEM 2 OF THIS FORM.			2. PROCURING ACTIVITY NO. 980-0108	3. DODAAC
4. ORIGINATOR a. TYPED NAME (First, Middle Initial, Last) Guy Cabell	b. ADDRESS (Street, City, State, Zip Code) AMSSB-RSO-CPT (RI) Rock Island, IL 61299	5. CAGE CODE 81361	6. NOR NO. -001	7. CAGE CODE 81361
9. TITLE OF DOCUMENT EMI Filter		10. REVISION LETTER a. CURRENT C		11. ECP NO.
12. CONFIGURATION ITEM (OR SYSTEM) TO WHICH ECP APPLIES Gas-Particulate Filter Unit, M93				NOR Sheet 1 of 1
13. DESCRIPTION OF REVISION This change is against drawing 5-19-9888, revision C, with no outstanding changes.				
1. Zone D-6. WAS: .19 IS: .16				
2. Zone C-6 WAS: .86 IS: .84				
3. Zone D-4 WAS: 8-32 UNC-2B X .250 DP. MIN. IS: 8-32 UNC-2B X .250 DP. MIN. (SEE NOTE 7)				
4. Add Note 7 as follows: "7. The mounting inserts shall be capable of accepting a screw of size .164-32 UNC of class 2A fit after finish is applied. A maximum installation torque of 6 pound-inches shall be applied."				
14. THIS SECTION FOR GOVERNMENT USE ONLY				
a. (X one) <input checked="" type="checkbox"/> (1) EXISTING DOCUMENT SUPPLEMENTED BY THIS NOR MAY BE USED IN MANUFACTURE. <input type="checkbox"/> (2) REVISED DOCUMENT MUST BE RECEIVED BEFORE MANUFACTURER MAY INCORPORATE THIS CHANGE. <input type="checkbox"/> (3) CUSTODIAN OF MASTER DOCUMENT SHALL MAKE ABOVE REVISION AND FURNISH REVISED DOCUMENT.				
b. ACTIVITY AUTHORIZED TO APPROVE CHANGE FOR GOVERNMENT CDR, SBCCOM, ATTN: AMSSB-RSO-IPM (RI)			c. TYPED NAME (First, Middle Initial, Last) ANGEL FELIX	
d. TITLE Configuration Manager, Individual Protection Team		e. SIGNATURE 		f. DATE SIGNED (YYMMDD) 00/12/08
15. a. ACTIVITY ACCOMPLISHING REVISION		b. REVISION COMPLETED (Signature)		c. DATE SIGNED (YYMMDD)

DOCUMENT SUMMARY LIST

Item: FILTER EMI
NSN: 5915-01-290-6482
Control Number/PRON: C40CABXX

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3rd and lower tier) which have been tailored.

DOCUMENT CATEGORY:

CATEGORY 0 - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-973	Configuration Management	17 Apr 92 Cat 2

See section C clause(s) titled: Value Engineering Change Proposals, Engineering Change Proposals, Deviation and/or Ozone-Depleting Substances.

In the application of MIL-STD-973 Paragraphs 5.4.3, 5.4.4 and 5.4.8 apply, and are tailored as follows:

(1) Page 53, para 5.4.3.4., Delete "a contractor designed form, or a letter" in the first sentence.

(2) Page 53, para 5.4.3.3.2a., Line 5, add "or size" after "weight".

(3) Page 53, Delete para 5.4.3.5., and replace by, "Unless otherwise specified in the contract, requests for critical deviations should be approved or disapproved within 30 calendar days of receipt by the Government and for all other deviations within 60 calendar days of receipt by the Government."

(4) Para 5.4.3.5.1. Minor deviations.

Line 3. Delete "...by the activity...Class II change" and insert "by the Contracting Officer."

(5) Page 55, para 5.4.4.3.2a., Line 7, add "or size" after "weight".

(6) Page 56. Delete paragraph 5.4.4.5 and replace by "Unless otherwise specified in the contract requests for critical waivers should be approved or disapproved within 30 calendar days of receipt by the Government and for all other RFWs within 60 calendar days of receipt by the Government."

(7) Para 5.4.4.5.1. Minor waivers.
Lines 4 and 5. Delete "...Contract Administration Office (CAO)." Insert "...Configuration Manager and a Government Contracting Officer."

(8) Page 61, para 5.4.8.3.4., in line 6 add "or size" after "weight".

(9) Page 61, Add new para 5.4.8.3.4.1., "An RFD shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

(10) Page 61, Delete para 5.4.8.3.5. and replace by, "Unless otherwise specified in the contract, deviations are approved and authorized only by the Contracting Officer. Critical deviations should be processed within 30 calendar days of receipt by the Government and all other RFDs processed within 60 calendar days of receipt by the Government."

(11) Page 62, para 5.4.8.4, Delete lines 7 thru 10 and replace with "standard. All RFWs shall be submitted as specified in the contract for approval or disapproval and acceptance or rejection by the authorized Contracting Officer."

(12) Page 62, para 5.4.8.4.4., on line 6 add "or size" after "weight".

(13) Page 62, Add new para 5.4.8.4.4.1., "an RFW shall be supported by test data and analysis, where appropriate, and provided to support the decision regarding acceptance of the nonconformance."

1b. Interim Notice 3 (DO)	Configuration Management	13 Jan 95 Cat 2
1c. DI-CMAN-80639B (seq A001)	Engineering Change Proposal	13 Jan 95 Cat 2
1d. DI-CMAN-80640B (seq A002)	Request for Deviation	13 Jan 95 Cat 2
1e. DI-CMAN-80641B (seq A003)	Request for Waiver	13 Jan 95 Cat 2
1f. DI-CMAN-80642B (seq A004)	Notice of Revision	13 Jan 95 Cat 2

2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
---	--	-----------

LIST OF ADDRESSES

(see block 14 of DD Form 1423 for symbols that apply)

Commander
U.S. Army TACOM-RI
ATTN: AMSTA-CM-CREC
Rock Island, IL 61299-7630

Commander
U.S. Army TACOM-RI
ATTN: AMSTA-LCRS
Rock Island, IL 61299-7630

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-RSO-ADM (RI)
Rock Island, IL 61299-7390

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-RSO-IPM (RI)
Rock Island, IL 61299-7390

Commander
U.S. Army Soldier and Biological Chemical
ATTN: AMSSB-RIM-____ or AMSSC-RIM-____ (N)
Kansas Street
Natick, MA 01760-5052

Commander
U.S. Army Soldier and Biological Chemical Command
ATTN: AMSSB-REN-____ (A)
Aberdeen Proving Ground, MD 21010-5423

Attachment 003

ADDRESS CODE DISTRIBUTION - for
ECPs/RFDs/RFWs/VECPs
(Configuration Management)

1. Concurrent transmittal of Engineering Change Proposals (ECPs), Requests for Deviation (RFDs), Requests for Waivers (RFWs) or Value Engineering Change Proposals (VECPs) shall be submitted by the contractor by either emailing or faxing engineering actions as follows:

2. The contractor shall send copies to:

a. (SBCCOM (RI) Engineering Office)
OFFICE: AMSSB-RSO-CPT (RI)
POC: Guy Cabell
EMAIL: cabellg@ria.army.mil
FAX: (309) 782-1919

b. (Contracting Officer)
OFFICE: AMSTA-CM-ARCC
POC: Joyce L. Klein
EMAIL: kleinj@ria.army.mil
FAX: (309) 782-1218

c. Adminstrating Contracting Officer

3. For VECPs only:

a. (Design Agency)
OFFICE: AMSSB-REN-R (A)
POC: Kimberly Walton
EMAIL: krwalton@sbccom.apgea.army.mil
FAX: (410)436-3912

Attachment 004